


WORK MASTER BR


WORKBENCHES




- | | |
|----------------------------------------|--------------------------------|
| 1. Perforated side panel | 6. Modular unit |
| 2. Support for intermediate half-shelf | 7. Cabinet with drawers |
| 3. Rear panel | 8. Cabinet with door |
| 4. Multiplex worktop | 9. Technical cabinet with door |
| 5. Adjustable legs | |




**Full-extension
drawers**




**Perforated drawer
bottom**



Dividing material




**Key-operated
closure**



**Height-adjustable
legs**

WORK MASTER BR



ART.	W mm	D mm	H mm		RAL	
MASTERBR2007	2206	750	1805/2180	1000	7035+7016	


Made up of:


qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
1	Cabinet W=560 mm with 4 drawers 1x75 2x150 1x200
4	Top/bottom shelf W=560 mm
1	Right full door H=600 mm with Dark Grey handle
1	Left full door H=600 mm with Dark Grey handle
2	Support for intermediate half-shelf
2	Internal shelf W=558 mm
2	Perforated side panel
1	Perforated panel/shelf with box-stop edge
1	Kit with 3 dual-slotted uprights
1	Kit with 2 perforated panels/shelves with 1 box-stop edge
1	Electric perforated panel


qty.	description
2	Wall unit with vasistas flip up opening without lock
2	Pair of brackets for fastening wall unit to dual-slotted uprights
2	LED strip
2	Schuko 2-socket power strip
1	Schuko 4-socket power strip
1	Differential magnetic-thermal circuit breaker
1	Wieland Schuko/FR connection cable
1	A4 document-holder pocket
1	Roll holder kit with roll Ø=240 mm
2	Angled 2-space spray-can holder
5	Unipok tool hook - 30-piece pack
1	Bin with 30 l capacity





RAL 7035 + RAL 7016 LOAD CAPACITY

**1000 kg**

**height-adjustable**

**Multiplex worktop thickness 40 mm**

**Supplied unassembled**

**Leg hole pitch 25 mm**



ART.	W mm	D mm	H mm	RAL	
MASTERBR1505	1500	750	740/1115	7035+7016	

Made up of:

qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
1	Cabinet W=560 mm with 3 drawers 1x75 2x100
1	Pair of reinforcement corner elements

ART.	W mm	D mm	H mm	RAL	
MASTERBR1506	1500	750	740/1115	7035+7016	

Made up of:

qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
1	Cabinet W=560 mm with 4 drawers 1x75 2x150 1x200
1	Pair of reinforcement corner elements

ART.	W mm	D mm	H mm	RAL	
MASTERBR1501	1500	750	740/1115	7035+7016	

Made up of:

qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
1	Cabinet W=560 mm with 4 drawers 1x75 2x150 1x200
2	Additional half-shelf W=560 mm
1	Support for intermediate half-shelf
2	Perforated side panel

WORK MASTER BR

1500

Configuration examples



Tools excluded



Tools excluded



Tools excluded



ART.	W mm	D mm	H mm	RAL	
MASTERBR1514	1500	750	1683/2058	7035+7016	

Made up of:

qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
1	Cabinet W=560 mm with 3 drawers 1x75 2x100
1	Pair of reinforcement corner elements
1	Kit with 2 dual-slotted uprights for workbenches
1	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
2	Bar mount with 4 Picking Box containers size 1

ART.	W mm	D mm	H mm	RAL	
MASTERBR1515	1500	750	1683/2058	7035+7016	

Made up of:

qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
1	Cabinet W=560 mm with 4 drawers 1x75 2x150 1x200
1	Pair of reinforcement corner elements
1	Kit with 2 dual-slotted uprights for workbenches
1	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
2	Bar mount with 4 Picking Box containers size 1


ART.	W mm	D mm	H mm	RAL	
MASTERBR1510	1500	750	1683/2058	7035+7016	


Made up of:


qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
2	Perforated side panel
1	Cabinet W=560 mm with 4 drawers 1x75 2x150 1x200
2	Additional half-shelf W=560 mm
1	Support for intermediate half-shelf
1	Kit with 2 dual-slotted uprights for workbenches
1	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
2	Bar mount with 4 Picking Box containers size 1





RAL 7035 + RAL 7016 LOAD CAPACITY

**1000 kg**

**height-adjustable**

**Multiplex worktop thickness 40 mm**

**Supplied unassembled**

**Leg hole pitch 25 mm**



ART.	W mm	D mm	H mm	RAL	
MASTERBR1502	1500	750	740/1115	7035+7016	

Made up of:

qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
1	Cabinet W=560 mm with 4 drawers 1x75 2x150 1x200
2	Top/bottom shelf W=560 mm
1	Left full door H=600 mm with Dark Grey handle
1	Support for intermediate half-shelf
1	Internal shelf W=558 mm
2	Perforated side panel



ART.	W mm	D mm	H mm	RAL	
MASTERBR1503	1500	750	740/1115	7035+7016	

Made up of:

qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
1	Cabinet W=560 mm with 4 drawers 1x75 2x150 1x200
1	Cabinet W=560 mm with 5 drawers 1x75 3x100 1x200



ART.	W mm	D mm	H mm	RAL	
MASTERBR1504	1500	750	740/1115	7035+7016	

Made up of:


qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
2	Cabinet W=560 mm configured for door with 1 drawer H=150 mm
1	Left partial door H=435 mm with Dark Grey handle
1	Right partial door H=435 mm with Dark Grey handle



WORK MASTER BR

1500

Configuration examples



Tools excluded



Tools excluded



Tools excluded



ART.	W mm	D mm	H mm	RAL	
MASTERBR1511	1500	750	1683/2058	7035+7016	

Made up of:

qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
2	Perforated side panel
1	Cabinet W=560 mm with 4 drawers 1x75 2x150 1x200
2	Top/bottom shelf W=560 mm
1	Left full door H=600 mm with Dark Grey handle
1	Internal shelf W=558 mm
1	Support for intermediate half-shelf
1	Kit with 2 dual-slotted uprights for workbenches
1	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
2	Bar mount with 4 Picking Box containers size 1

ART.	W mm	D mm	H mm	RAL	
MASTERBR1512	1500	750	1683/2058	7035+7016	

Made up of:

qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
1	Cabinet W=560 mm with 4 drawers 1x75 2x150 1x200
1	Cabinet W=560 mm with 5 drawers 1x75 3x100 1x200
1	Kit with 2 dual-slotted uprights for workbenches
1	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
2	Bar mount with 4 Picking Box containers size 1


ART.	W mm	D mm	H mm	RAL	
MASTERBR1513	1500	750	1683/2058	7035+7016	


Made up of:


qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
2	Cabinet W=560 mm configured for door with 1 drawer H=150 mm
1	Left partial door H=435 mm with Dark Grey handle
1	Right partial door H=435 mm with Dark Grey handle
1	Kit with 2 dual-slotted uprights for workbenches
1	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
2	Bar mount with 4 Picking Box containers size 1





RAL 7035 + RAL 7016 LOAD CAPACITY

**1000 kg**

**height-adjustable**

**Multiplex worktop thickness 40 mm**

**Supplied unassembled**

**Leg hole pitch 25 mm**



ART.	W mm	D mm	H mm	RAL	
MASTERBR2005	2000	750	740/1115	7035+7016	

Made up of:

qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
1	Cabinet W=560 mm with 3 drawers 1x75 2x100
1	Pair of reinforcement corner elements

ART.	W mm	D mm	H mm	RAL	
MASTERBR2006	2000	750	740/1115	7035+7016	

Made up of:


qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
1	Cabinet W=560 mm with 4 drawers 1x75 2x150 1x200
1	Pair of reinforcement corner elements

ART.	W mm	D mm	H mm	RAL	
MASTERBR2001	2000	750	740/1115	7035+7016	

Made up of:

qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
1	Cabinet W=560 mm with 4 drawers 1x75 2x150 1x200
1	Cabinet W=560 mm configured for door with 1 adjustable shelf
1	Left full door H=600 mm with Dark Grey handle
2	Additional half-shelf W=560 mm

Configuration examples



Tools excluded



Tools excluded



Tools excluded



ART.	W mm	D mm	H mm	RAL	
MASTERBR2013	2000	750	1683/2058	7035+7016	

Made up of:

qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
1	Cabinet W=560 mm with 3 drawers 1x75 2x100
1	Pair of reinforcement corner elements
1	Kit with 3 dual-slotted uprights
2	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
4	Bar mount with 4 Picking Box containers size 1

ART.	W mm	D mm	H mm	RAL	
MASTERBR2014	2000	750	1683/2058	7035+7016	

Made up of:


qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
1	Cabinet W=560 mm with 4 drawers 1x75 2x150 1x200
1	Pair of reinforcement corner elements
1	Kit with 3 dual-slotted uprights
2	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
4	Bar mount with 4 Picking Box containers size 1


ART.	W mm	D mm	H mm	RAL	
MASTERBR2009	2000	750	1683/2058	7035+7016	


Made up of:


qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
1	Cabinet W=560 mm configured for door with 1 adjustable shelf
1	Left full door H=600 mm with Dark Grey handle
1	Cabinet W=560 mm with 4 drawers 1x75 2x150 1x200
2	Additional half-shelf W=560 mm
1	Kit with 3 dual-slotted uprights
2	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
4	Bar mount with 4 Picking Box containers size 1




**1000 kg**

**height-adjustable**

**Multiplex worktop thickness 40 mm**

**Supplied unassembled**

**Leg hole pitch 25 mm**



ART.	W mm	D mm	H mm	RAL	
MASTERBR2002	2000	750	740/1115	7035+7016	

Made up of:

qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
1	Cabinet W=560 mm with 4 drawers 1x75 2x150 1x200
1	Cabinet W=560 mm with 5 drawers 1x75 3x100 1x200
2	Additional half-shelf W=560 mm



ART.	W mm	D mm	H mm	RAL	
MASTERBR2003	2000	750	740/1115	7035+7016	

Made up of:

qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
1	Cabinet W=560 mm with 5 drawers 1x75 3x100 1x200
4	Top/bottom shelf W=560 mm
1	Right full door H=600 mm with Dark Grey handle
1	Left full door H=600 mm with Dark Grey handle
2	Support for intermediate half-shelf
2	Internal shelf W=558 mm
2	Perforated side panel




ART.	W mm	D mm	H mm	RAL	
MASTERBR2004	2000	750	740/1115	7035+7016	

Made up of:

qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
3	Cabinet W=560 mm configured for door with 1 drawer H=150 mm
1	Right partial door H=435 mm with Dark Grey handle
2	Left partial door H=435 mm with Dark Grey handle



Configuration examples



Tools excluded



Tools excluded



Tools excluded



ART.	W mm	D mm	H mm	RAL	
MASTERBR2010	2000	750	1683/2058	7035+7016	

Made up of:

qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
1	Cabinet W=560 mm with 5 drawers 1x75 3x100 1x200
1	Cabinet W=560 mm with 4 drawers 1x75 2x150 1x200
2	Additional half-shelf W=560 mm
1	Kit with 3 dual-slotted uprights
2	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
4	Bar mount with 4 Picking Box containers size 1

ART.	W mm	D mm	H mm	RAL	
MASTERBR2011	2000	750	1683/2058	7035+7016	

Made up of:

qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
4	Top/bottom shelf W=560 mm
1	Left full door H=600 mm with Dark Grey handle
1	Right full door H=600 mm with Dark Grey handle
2	Internal shelf W=558 mm
2	Support for intermediate half-shelf
1	Cabinet W=560 mm with 5 drawers 1x75 3x100 1x200
2	Perforated side panel
1	Kit with 3 dual-slotted uprights
2	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
4	Bar mount with 4 Picking Box containers size 1


ART.	W mm	D mm	H mm	RAL	
MASTERBR2012	2000	750	1683/2058	7035+7016	


Made up of:


qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
3	Cabinet W=560 mm configured for door with 1 drawer H=150 mm
2	Left partial door H=435 mm with Dark Grey handle
1	Right partial door H=435 mm with Dark Grey handle
1	Kit with 3 dual-slotted uprights
2	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
4	Bar mount with 4 Picking Box containers size 1





RAL 7035 + RAL 7016 LOAD CAPACITY

**1000 kg**


**height-adjustable**

**Multiplex worktop thickness 40 mm**


**Supplied unassembled**

**Leg hole pitch 25 mm**



ART.	W mm	D mm	H mm	worktop		RAL	
				material	 mm		
MBR01S0V0V001PD	1024	750	740/1115	Multiplex	40	7035+7016	




ART.	W mm	D mm	H mm	worktop		RAL	
				material	 mm		
MBR02S0V0V001PD	1500	750	740/1115	Multiplex	40	7035+7016	



ART.	W mm	D mm	H mm	worktop		RAL	
				material	 mm		
MBR03S0V0V001PD	2000	750	740/1115	Multiplex	40	7035+7016	



ART.	W mm	D mm	H mm	worktop		RAL	
				material	 mm		
MBR04S0V0V001PD	3000	750	740/1115	Multiplex	40	7035+7016	




Unassembled workbench package



Pair of reinforcement corner elements

ART.	W mm	D mm	H mm	RAL	
FBGKITS0008	145	39	145	7035	

 Use one corner element for each leg if the drawer unit or shelf is not present (one pair for 1024/1500/2000 mm workbenches, two pairs for 3000 mm workbenches)



Cover for multiplex worktop

ART.	W mm	D mm	H mm	suitable for	colour	
FBL22300007	1028	754	22	Multiplex worktop	Black	
FBL22600007	1504	754	22	Multiplex worktop	Black	
FBL22900007	2004	754	22	Multiplex worktop	Black	
FBL23200007	3004	754	22	Multiplex worktop	Black	

Technical diagram

W → 1000 mm



W → 1500 mm



W → 2000 mm



W → 3000 mm



RAL 7035 + RAL 7016



RAL 7035



LOAD CAPACITY



THICKNESS

Cabinets with drawers

W  560 mm

27x27 EH

Cabinet with 3 drawers





ART.	W mm	D mm	H mm	drawers					RAL	
				no.	h 75 mm	h 100 mm				
MBR05SC010203PD	560	610	369	3	1	2	100-75-50	92-96-100%	7035+7016	



Cabinet with 4 drawers





ART.	W mm	D mm	H mm	drawers						RAL	
				no.	h 75 mm	h 150 mm	h 200 mm				
MBR05SC010204PD	560	610	669	4	1	2	1	100-75-50	92-96-100%	7035+7016	



Cabinet with 5 drawers



ART.	W mm	D mm	H mm	drawers						RAL	
				no.	h 75 mm	h 100 mm	h 200 mm				
MBR05SC010205PD	560	610	669	5	1	3	1	100-75-50	92-96-100%	7035+7016	



Cabinet with middle shelf configured for doors



ART.	W mm	D mm	H mm	adjustable shelf	RAL	
MBR05SX00020708	560	610	669	1	7035	

Left full door H=600 mm with Dark Grey handle



ART.	W mm	D mm	H mm	opening	RAL	
MBR06SC01020239	504	34	600	LH	7016	

Right full door H=600 mm with Dark Grey handle



ART.	W mm	D mm	H mm	opening	RAL	
MBR06SC01020139	504	34	600	RH	7016	

Cabinets with drawers

W  560 mm

27x27 EH



Technical cabinet W=560 mm configured for door
Suitable for Art. MBR06SC01020339 and Art. MBR06SC01020439

ART.	W mm	D mm	H mm	RAL	
MBR05SX000208PD	560	610	669	7035+7016	



Electrical winder with Schuko socket

ART.	Cable length (m)	Type of socket	Volt	Watt	
MBR13S0V0V00100	20	Schuko	230	1600	



Winder for compressed air

ART.	Cable length (m)	Max MPa pressure	Ø mm	
MBR13S0V0V00200	14	1,5	10	




Roll for winder

ART.	
MBR13S0V0V00339	




Plate for winder
To be fastened to the back of the cabinet

ART.	
MBR13S0V0V00499	



- 1. Technical cabinet W=560 mm configured for door
- 2. Module: Roll for winder



- 3. Module: 4-socket power strip
- 4. Module: 2-socket power strip



RAL 7035 + RAL 7016



RAL 7016



RAL 7035



EXTRACTION



LOAD CAPACITY



Cabinets with drawers

W  560 mm

27x27 EH

Cabinet W=560 mm configured for door with 1 drawer H=150 mm



ART.	W mm	D mm	H mm	drawers			RAL	
				h 150 mm				
MBR05SC010206PD	560	610	669	1	100-75-50	92-96-100%	7035+7016	



Left partial door H=435 mm with Dark Grey handle



ART.	W mm	D mm	H mm	opening	RAL	
MBR06SC01020439	504	34	435	LH	7016	

Right partial door H=435 mm with Dark Grey handle



ART.	W mm	D mm	H mm	opening	RAL	
MBR06SC01020339	504	34	435	RH	7016	



Cabinets with drawers

W  713 mm

36x27 EH

Cabinet W=713 mm with 4 drawers 1x75 2x150 1x200





ART.	W mm	D mm	H mm	drawers						RAL	
				no.	h 75 mm	h 150 mm	h 200 mm				
MBR05SC010304PD	713	610	669	4	1	2	1	100-75-50	92-96-100%	7035+7016	



Cabinet W=713 mm with 5 drawers 1x75 3x100 1x200



ART.	W mm	D mm	H mm	drawers						RAL	
				no.	h 75 mm	h 100 mm	h 200 mm				
MBR05SC010305PD	713	610	669	5	1	3	1	100-75-50	92-96-100%	7035+7016	



Cabinets with drawers

W  713 mm

36x27 EH



Cabinet W=713 mm configured for door with 1 adjustable shelf

ART.	W mm	D mm	H mm	RAL	
MBR05SX00030708	713	610	669	7035	



Left full door H=600 mm with Dark Grey handle

ART.	W mm	D mm	H mm	opening	RAL	
MBR06SC01030239	657	34	600	LH	7016	





Right full door H=600 mm with Dark Grey handle

ART.	W mm	D mm	H mm	opening	RAL	
MBR06SC01030139	657	34	600	RH	7016	



Cabinet W=713 mm configured for door with 1 drawer H=150 mm

ART.	W mm	D mm	H mm	drawers			RAL	
				h 150 mm	 KG			
MBR05SC010306PD	713	610	669	1	100-75-50	92-96-100%	7035+7016	



Left partial door H=435 mm with Dark Grey handle

ART.	W mm	D mm	H mm	opening	RAL	
MBR06SC01030439	657	34	435	LH	7016	



Right partial door H=435 mm with Dark Grey handle

ART.	W mm	D mm	H mm	opening	RAL	
MBR06SC01030339	657	34	435	RH	7016	



RAL 7035 + RAL 7016



RAL 7016



RAL 7035



EXTRACTION



LOAD CAPACITY



Perforated side panel

ART.	W mm	D mm	H mm	Hole dim. mm	RAL	
FBG15S00V0V0008	610	75	669	10x10	7035	

Additional middle shelf

ART.	W mm	D mm	H mm	KG	RAL	
MBR08S070600008	713	605	35	250	7035	
MBR08S090600008	967	605	35	250	7035	
MBR08S110600008	1120	605	35	250	7035	
MBR08S120600008	1273	605	35	250	7035	
MBR08S160600008	1680	605	35	200	7035	

Additional half-shelf

ART.	W mm	D mm	H mm	KG	RAL	
MBR09S050300008	560	305	35	100	7035	
MBR09S070300008	713	305	35	100	7035	
MBR09S090300008	967	305	35	100	7035	
MBR09S110300008	1120	305	35	100	7035	
MBR09S120300008	1273	305	35	100	7035	
MBR09S160300008	1680	305	35	100	7035	

Support for intermediate half-shelf

ART.	W mm	D mm	H mm	RAL	
FBG13S605V00008	605	77	35	7035	

Modular unit



Internal shelf 27x27 EH

ART.	W mm	D mm	H mm	KG	RAL	
MBR11S0V0020008	558	466	60	100	7035	



Top or bottom shelf 27x27 EH

ART.	W mm	D mm	H mm	KG	RAL	
MBR10S050600008	560	610	32	100	7035	



Support for intermediate half-shelf

ART.	W mm	D mm	H mm	RAL	
FBG13S605V00008	605	77	35	7035	

1. Internal shelf 27x27 EH
2. Top or bottom shelf 27x27 EH
3. Support for intermediate half-shelf
4. Right full door H=600 mm with Dark Grey handle
5. Left full door H=600 mm with Dark Grey handle



Right full door H=600 mm with Dark Grey handle

ART.	W mm	D mm	H mm	opening	RAL	
MBR06SC01020539	554	34	600	RH	7016	



Left full door H=600 mm with Dark Grey handle

ART.	W mm	D mm	H mm	opening	RAL	
MBR06SC01020639	554	34	600	LH	7016	



RAL 7016




RAL 7035




LOAD CAPACITY

WORK MASTER BR DIVIDING MATERIAL

W= 560 MM 27X27 EH




ART.	Suitable for drawer H mm	components	
FFH84050200	50/300	16 x Transversal divider W=36 mm 7 x Transversal divider W=47 mm 6 x 3-channel divider 3 x 4-channel divider	



ART.	Suitable for drawer H mm	components	
FFH84050300	50/300	15 x Transversal divider W=47 mm 8 x Transversal divider W=73 mm 6 x 2-channel divider 3 x 3-channel divider	



ART.	Suitable for drawer H mm	components	
FFH84050400	50/300	18 x Transversal divider W=73 mm 9 x 2-channel divider	




ART.	Suitable for drawer H mm	components	
FFH84071800	75	6 x 150x75 mm Divider box	
FFH84101800	100/125	6 x 150x150 mm Divider box	



ART.	Suitable for drawer H mm	components	
FFH84070800	75	2 x Longitudinal slotted divider W=457 mm 3 x Transversal divider W=151 mm	
FFH84100800	100/125		
FFH84150800	150/175		
FFH84200800	200/250		

WORK MASTER BR DIVIDING MATERIAL

W= 713 MM 36X27 EH




ART.	Suitable for drawer H mm	components	
FFH10051000	50/300	3 x 3-channel divider 9 x 4-channel divider 12 x Transversal divider W=47 mm 36 x Transversal divider W=36 mm	




ART.	Suitable for drawer H mm	components	
FFH10051300	50/300	18 x Transversal divider W=47 mm 12 x Transversal divider W=73 mm 6 x 2-channel divider 6 x 3-channel divider	



ART.	Suitable for drawer H mm	components	
FFH10051500	50/300	20 x Transversal divider W=36 mm 20 x Transversal divider W=47 mm 6 x 3-channel divider 5 x 4-channel divider 1 x Allen key holder	



ART.	Suitable for drawer H mm	components	
FFH10071800	75	16 x 75x75 mm Divider box 8 x 150x75 mm Divider box 4 x 150x150 mm Divider box	




ART.	Suitable for drawer H mm	components	
FFH10071600	75	12 x 150x75 mm Divider box	
FFH10101600	100/125	6 x 150x150 mm Divider box	



ART.	Suitable for drawer H mm	components	
FFH10070500	75	2 x Longitudinal slotted divider W=457 mm 3 x Transversal divider w=202 mm	
FFH10100500	100/125		
FFH10150500	150/175		
FFH10200500	200/250		

WORK MASTER BR




ART.	W mm	D mm	H mm		RAL	
MASTERBR3001	3206	750	1985/2360	1000	7035+7016	

Made up of:


qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
1	Cabinet W=560 mm configured for door with 1 adjustable shelf
2	Cabinet W=713 mm with 4 drawers 1x75 2x150 1x200
1	Technical cabinet W=560 mm configured for door
1	Right partial door H=435 mm with Dark Grey handle
1	Left full door H=600 mm with Dark Grey handle
2	Perforated side panel
1	Kit with 3 dual-slotted uprights
2	Kit with 3 perforated panels/shelves with 2 box-stop edges
2	Double lamp
2	Wall unit with door
1	Schuko 2-socket power strip
1	Wieland Schuko/FR connection cable

qty.	description
1	A4 document-holder pocket
1	Roll holder kit with roll Ø=240 mm
4	Angled 2-space spray-can holder
6	Unipok tool hook - 30-piece pack
1	Bar mount with 4 Picking Box containers size 1
2	Large reversible shelf
1	Bin with 30 l capacity
3	Kit with 2 Picking Box containers size 3A2
1	Plate for winder
2	Roll for winder
1	Winder for compressed air
1	Electrical winder with Schuko socket
1	Kit with 3 inclined supports with 2 tracks



WORK MASTER BR



ART.	W mm	D mm	H mm		RAL	
MASTERBR1508	1706	750	1985/2360	1000	7035+7016	

Made up of:

qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
1	Cabinet W=560 mm with 5 drawers 1x75 3x100 1x200
2	Top/bottom shelf W=560 mm
1	Left full door H=600 mm with Dark Grey handle
1	Support for intermediate half-shelf
1	Internal shelf W=558 mm
2	Perforated side panel
1	Support for 2-socket power strip
1	Support for 4-socket power strip
1	Schuko 2-socket power strip
1	Schuko 4-socket power strip

qty.	description
1	Wieland Schuko/FR connection cable
1	A4 document-holder pocket
1	Roll holder kit with roll Ø=240 mm
2	Angled 2-space spray-can holder
4	Unipok tool hook - 30-piece pack
1	Bin with 30 l capacity
2	Wall unit with door
1	Double lamp
1	Kit with 3 perforated panels/shelves with 2 box-stop edges
1	Kit with 2 inclined supports with track
1	Kit with 2 dual-slotted uprights for workbenches



RAL 7035 + RAL 7016 LOAD CAPACITY


WORK-WORK UP

WORKBENCHES




- 1. Perforated side panel
- 2. Rear panel
- 3. Adjustable legs
- 4. Additional half-shelf


- 5. Cabinet with door
- 6. Cabinet with 4 drawers
- 7. Multiplex worktop




**Simple-extension
drawers**




**Solid drawer
bottom**



Dividing material



**Key-operated
closure**




**Height-adjustable
legs**

Alternative configurations



Tools excluded



ART.	W mm	D mm	H mm	 KG	RAL	
WORK2043	2307	750	1977/2352	1000	7035+7016	

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
2	Cabinet W=629 mm with 1 door and 1 adjustable shelf
1	Cabinet W=500 mm with 3 drawers H=150 mm
1	Non-perforated half-shelf W=1760 mm
2	Perforated side panel
1	Bin with 30 l capacity
2	Angled 2-space silicone holder
1	A4 document-holder pocket
1	Kit with 3 dual-slotted uprights
1	Kit with 3 inclined supports with 2 tracks

qty.	description
2	Kit with 3 perforated panels/shelves with 2 box-stop edges
1	Double lamp
2	Angled 2-space spray-can holder
1	Roll holder kit with roll Ø=240 mm
7	Unipok tool hook - 30-piece pack
1	Support for 4-socket power strip
1	Schuko 4-socket power strip
1	Wieland Schuko/FR connection cable
1	Large reversible shelf




RAL 7035 + RAL 7016 LOAD CAPACITY


WORK UP

1500

 1000 kg

 height-adjustable

 Multiplex worktop thickness 30 mm

 Supplied unassembled

 Leg hole pitch 25 mm



ART.	W mm	D mm	H mm	RAL	
WORK1501	1500	750	732/1107	7035+7016	
WORK1502	1500	750	732/1107	5012	

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Cabinet W=500 mm with 1 drawer H=150 mm



ART.	W mm	D mm	H mm	RAL	
WORK1503	1500	750	732/1107	7035+7016	
WORK1504	1500	750	732/1107	5012	

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Cabinet W=500 mm with 4 drawers H=105 mm
1	Non-slotted half-shelf W=1260 mm



ART.	W mm	D mm	H mm	RAL	
WORK1507	1500	750	732/1107	7035+7016	
WORK1508	1500	750	732/1107	5012	

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Cabinet W=500 mm with 4 drawers H=105 mm
1	Rear panel
1	Non-slotted half-shelf W=760 mm
1	Support for intermediate half-shelf

WORK UP 1500

Configuration examples



Tools excluded



Tools excluded



Tools excluded



ART.	W mm	D mm	H mm	RAL	
WORK1528	1500	750	1675/2050	7035+7016	

WORK1534	1500	750	1675/2050	5012	
----------	------	-----	-----------	------	--

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Cabinet W=500 mm with 1 drawer H=150 mm
1	Kit with 2 dual-slotted uprights for workbenches
1	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
2	Bar mount with 4 Picking Box containers size 1

ART.	W mm	D mm	H mm	RAL	
WORK1529	1500	750	1675/2050	7035+7016	

WORK1535	1500	750	1675/2050	5012	
----------	------	-----	-----------	------	--

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Cabinet W=500 mm with 4 drawers H=105 mm
1	Non-slotted half-shelf W=1260 mm
1	Kit with 2 dual-slotted uprights for workbenches
1	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
2	Bar mount with 4 Picking Box containers size 1

ART.	W mm	D mm	H mm	RAL	
WORK1530	1500	750	1675/2050	7035+7016	

WORK1536	1500	750	1675/2050	5012	
----------	------	-----	-----------	------	--






Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Rear panel
1	Cabinet W=500 mm with 4 drawers H=105 mm
1	Non-slotted half-shelf W=760 mm
1	Support for intermediate half-shelf
1	Kit with 2 dual-slotted uprights for workbenches
1	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
2	Bar mount with 4 Picking Box containers size 1



RAL 5012

RAL 7035 + RAL 7016

-  **1000 kg**
-  **height-adjustable**
-  **Multiplex worktop thickness 30 mm**
-  **Supplied unassembled**
-  **Leg hole pitch 25 mm**



ART.	W mm	D mm	H mm	RAL	
WORK1505	1500	750	732/1107	7035+7016	
WORK1506	1500	750	732/1107	5012	

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Cabinet W=500 mm with 4 drawers H=105 mm
1	Cabinet W=500 mm with 1 door and 1 adjustable shelf
1	Bottom panel for cabinet W=500 mm



ART.	W mm	D mm	H mm	RAL	
WORK1511	1500	750	732/1107	7035+7016	
WORK1512	1500	750	732/1107	5012	

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
2	Cabinet W=629 mm with 1 drawer H=150 mm and 1 door
1	Non-slotted half-shelf W=1260 mm



ART.	W mm	D mm	H mm	RAL	
WORK1509	1500	750	732/1107	7035+7016	
WORK1510	1500	750	732/1107	5012	

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Cabinet W=629 mm with 4 drawers H=105 mm
1	Cabinet W=629 mm with 1 door and 1 adjustable shelf
1	Non-slotted half-shelf W=1260 mm

WORK UP 1500

Configuration examples



Tools excluded



Tools excluded



Tools excluded



ART.	W mm	D mm	H mm	RAL	
WORK1531	1500	750	1675/2050	7035+7016	
WORK1537	1500	750	1675/2050	5012	

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Cabinet W=500 mm with 1 door and 1 adjustable shelf
1	Bottom panel for cabinet W=500 mm
1	Cabinet W=500 mm with 4 drawers H=105 mm
1	Kit with 2 dual-slotted uprights for workbenches
1	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
2	Bar mount with 4 Picking Box containers size 1

ART.	W mm	D mm	H mm	RAL	
WORK1532	1500	750	1675/2050	7035+7016	
WORK1538	1500	750	1675/2050	5012	

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
2	Cabinet W=629 mm with 1 drawer H=150 mm and 1 door
1	Non-slotted half-shelf W=1260 mm
1	Kit with 2 dual-slotted uprights for workbenches
1	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
2	Bar mount with 4 Picking Box containers size 1

ART.	W mm	D mm	H mm	RAL	
WORK1533	1500	750	1675/2050	7035+7016	
WORK1539	1500	750	1675/2050	5012	

Made up of:






qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Cabinet W=629 mm with 1 door and 1 adjustable shelf
1	Cabinet W=629 mm with 4 drawers H=105 mm
1	Non-slotted half-shelf W=1260 mm
1	Kit with 2 dual-slotted uprights for workbenches
1	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
2	Bar mount with 4 Picking Box containers size 1



RAL 5012

RAL 7035 + RAL 7016

WORK UP 2000

-  **1000 kg**
-  **height-adjustable**
-  **Multiplex worktop thickness 30 mm**
-  **Supplied unassembled**
-  **Leg hole pitch 25 mm**



ART.	W mm	D mm	H mm	RAL	
WORK2001	2000	750	732/1107	7035+7016	
WORK2002	2000	750	732/1107	5012	

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Cabinet W=500 mm with 1 drawer H=150 mm



ART.	W mm	D mm	H mm	RAL	
WORK2003	2000	750	732/1107	7035+7016	
WORK2004	2000	750	732/1107	5012	

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Cabinet W=500 mm with 4 drawers H=105 mm
1	Non-perforated half-shelf W=1760 mm




ART.	W mm	D mm	H mm	RAL	
WORK2005	2000	750	732/1107	7035+7016	
WORK2006	2000	750	732/1107	5012	

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Cabinet W=500 mm with 4 drawers H=105 mm
1	Cabinet W=500 mm with 1 door and 1 adjustable shelf
1	Non-perforated half-shelf W=1760 mm

WORK UP 2000

Configuration examples



Tools excluded



Tools excluded



Tools excluded



ART.	W mm	D mm	H mm	RAL	
WORK2030	2000	750	1675/2050	7035+7016	
WORK2036	2000	750	1675/2050	5012	

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Cabinet W=500 mm with 1 drawer H=150 mm
1	Kit with 3 dual-slotted uprights
2	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
4	Bar mount with 4 Picking Box containers size 1

ART.	W mm	D mm	H mm	RAL	
WORK2031	2000	750	1675/2050	7035+7016	
WORK2037	2000	750	1675/2050	5012	

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Cabinet W=500 mm with 4 drawers H=105 mm
1	Non-perforated half-shelf W=1760 mm
1	Kit with 3 dual-slotted uprights
2	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
4	Bar mount with 4 Picking Box containers size 1

ART.	W mm	D mm	H mm	RAL	
WORK2032	2000	750	1675/2050	7035+7016	
WORK2038	2000	750	1675/2050	5012	

Made up of:


qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Cabinet W=500 mm with 1 door and 1 adjustable shelf
1	Cabinet W=500 mm with 4 drawers H=105 mm
1	Non-perforated half-shelf W=1760 mm
1	Kit with 3 dual-slotted uprights
2	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
4	Bar mount with 4 Picking Box containers size 1





RAL 5012





RAL 7035 + RAL 7016


1000 kg


height-adjustable


Multiplex worktop thickness 30 mm


Supplied unassembled


Leg hole pitch 25 mm



ART.	W mm	D mm	H mm	RAL	
WORK2007	2000	750	732/1107	7035+7016	
WORK2008	2000	750	732/1107	5012	

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Cabinet W=500 mm with 4 drawers H=105 mm
1	Cabinet W=500 mm with 1 door and 1 adjustable shelf
1	Rear panel
1	Non-slotted half-shelf W=760 mm
1	Bottom panel for cabinet W=500 mm



ART.	W mm	D mm	H mm	RAL	
WORK2011	2000	750	732/1107	7035+7016	
WORK2012	2000	750	732/1107	5012	

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Cabinet W=500 mm with 1 drawer H=150 mm and 1 door
2	Cabinet W=629 mm with 1 drawer H=150 mm and 1 door
1	Non-perforated half-shelf W=1760 mm




ART.	W mm	D mm	H mm	RAL	
WORK2009	2000	750	732/1107	7035+7016	
WORK2010	2000	750	732/1107	5012	

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Cabinet W=500 mm with 4 drawers H=105 mm
2	Cabinet W=629 mm with 1 door and 1 adjustable shelf
1	Non-perforated half-shelf W=1760 mm

WORK UP 2000

Configuration examples



Tools excluded



Tools excluded



Tools excluded



ART.	W mm	D mm	H mm	RAL	
WORK2033	2000	750	1675/2050	7035+7016	
WORK2039	2000	750	1675/2050	5012	

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Rear panel
1	Cabinet W=500 mm with 1 door and 1 adjustable shelf
1	Bottom panel for cabinet W=500 mm
1	Cabinet W=500 mm with 4 drawers H=105 mm
1	Non-slotted half-shelf W=760 mm
1	Kit with 3 dual-slotted uprights
2	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
4	Bar mount with 4 Picking Box containers size 1

ART.	W mm	D mm	H mm	RAL	
WORK2034	2000	750	1675/2050	7035+7016	
WORK2040	2000	750	1675/2050	5012	







Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
2	Cabinet W=629 mm with 1 drawer H=150 mm and 1 door
1	Cabinet W=500 mm with 1 drawer H=150 mm and 1 door
1	Non-perforated half-shelf W=1760 mm
1	Kit with 3 dual-slotted uprights
2	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
4	Bar mount with 4 Picking Box containers size 1

ART.	W mm	D mm	H mm	RAL	
WORK2035	2000	750	1675/2050	7035+7016	
WORK2041	2000	750	1675/2050	5012	

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
2	Cabinet W=629 mm with 1 door and 1 adjustable shelf
1	Cabinet W=500 mm with 4 drawers H=105 mm
1	Non-perforated half-shelf W=1760 mm
1	Kit with 3 dual-slotted uprights
2	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
4	Bar mount with 4 Picking Box containers size 1

 1000 kg	 height-adjustable	 Multiplex worktop thickness 30 mm
 Supplied unassembled	 Leg hole pitch 25 mm	 steel worktop thickness 3 mm



Work Up workbench with steel worktop

ART.	W mm	D mm	H mm	worktop		RAL	
				material	mm		
FBG01S1000R00PD	1031	704	737/1112	Steel	3	7035+7016	
FBG01S1000R0004	1031	704	737/1112	Steel	3	5012	
FBG01S1500R00PD	1507	704	737/1112	Steel	3	7035+7016	
FBG01S1500R0004	1507	704	737/1112	Steel	3	5012	
FBG01S2000R00PD	2007	704	737/1112	Steel	3	7035+7016	
FBG01S2000R0004	2007	704	737/1112	Steel	3	5012	



Work Up workbench with wooden worktop

ART.	W mm	D mm	H mm	worktop		RAL	
				material	mm		
FBG02S1000R00PD	1024	750	732/1107	Multiplex	30	7035+7016	
FBG02S1000R0004	1024	750	732/1107	Multiplex	30	5012	
FBG02S1500R00PD	1500	750	732/1107	Multiplex	30	7035+7016	
FBG02S1500R0004	1500	750	732/1107	Multiplex	30	5012	
FBG02S2000R00PD	2000	750	732/1107	Multiplex	30	7035+7016	
FBG02S2000R0004	2000	750	732/1107	Multiplex	30	5012	



Unassembled workbench package

Kit with wheels

Suitable only for Work Up workbenches



ART.	Ø mm	 kg	H mm	material			
FKRU1252101	125	300	155	Non-marking synthetic rubber	2	2	
FKRS1252101	125	750	155	Elastic rubber	2	2	



SWIVEL WHEEL WITH BRAKE



FIXED WHEEL



Pair of reinforcement corner elements

ART.	W mm	D mm	H mm	RAL	
FBGKITS0008	145	39	145	7035	
FBGKITS0004	145	39	145	5012	



Use one pair of corner elements for each leg if there is no drawer unit



1000 kg

— Multiplex worktop thickness 30 mm



Supplied
unassembled

— steel worktop thickness 3 mm



Work workbench with steel worktop

ART.	W mm	D mm	H mm	worktop		RAL	
				material	mm		
FBG01S1000F00PD	1031	704	887	Steel	3	7035+7016	
FBG01S1000F0004	1031	704	887	Steel	3	5012	
FBG01S1500F00PD	1507	704	887	Steel	3	7035+7016	
FBG01S1500F0004	1507	704	887	Steel	3	5012	
FBG01S2000F00PD	2007	704	887	Steel	3	7035+7016	
FBG01S2000F0004	2007	704	887	Steel	3	5012	



Work workbench with wooden worktop

ART.	W mm	D mm	H mm	worktop		RAL	
				material	mm		
FBG02S1000F0008	1024	750	882	Multiplex	30	7035	
FBG02S1000F0004	1024	750	882	Multiplex	30	5012	
FBG02S1500F0008	1500	750	882	Multiplex	30	7035	
FBG02S1500F0004	1500	750	882	Multiplex	30	5012	
FBG02S2000F0008	2000	750	882	Multiplex	30	7035	
FBG02S2000F0004	2000	750	882	Multiplex	30	5012	



Unassembled workbench package



Cover for steel worktop

ART.	W mm	D mm	H mm	colour	
FBG32100007	1024	702	27	Black	
FBG32150007	1500	702	27	Black	
FBG32200007	2000	702	27	Black	



Cover for multiplex worktop

ART.	W mm	D mm	H mm	colour	
FBL22300007	1028	754	22	Black	
FBL22600007	1504	754	22	Black	
FBL22900007	2004	754	22	Black	
FBL23200007	3004	754	22	Black	



RAL 5012



RAL 7035



RAL 7035 + RAL 7016



THICKNESS



LOAD CAPACITY

1000



1500



Cabinets with drawers

W → 500 mm

Cabinet with 1 drawer

ART.	W mm	D mm	H mm	drawers				door		RAL	
				no.	KG	h mm	h mm	no.	Entry H mm		
FBG03S50C0001PD	500	630	210	1	80	86%	150	-	-	7035+7016	
FBG03S50C000104	500	630	210	1	80	86%	150	-	-	5012	

Cabinet with 3 drawers

ART.	W mm	D mm	H mm	drawers				door		RAL	
				no.	KG	h mm	h mm	no.	Entry H mm		
FBG03S50C0002PD	500	630	570	3	80	86%	150	-	-	7035+7016	
FBG03S50C000204	500	630	570	3	80	86%	150	-	-	5012	

Cabinet with 4 drawers

ART.	W mm	D mm	H mm	drawers				door		RAL	
				no.	KG	h mm	h mm	no.	Entry H mm		
FBG03S50C0003PD	500	630	570	4	80	86%	105	-	-	7035+7016	
FBG03S50C000304	500	630	570	4	80	86%	105	-	-	5012	

Cabinet with 1 drawer and 1 door

ART.	W mm	D mm	H mm	drawers				door		RAL	
				no.	KG	h mm	h mm	no.	Entry H mm		
FBG03S50C0004PD	500	630	570	1	80	86%	150	1	310	7035+7016	
FBG03S50C000404	500	630	570	1	80	86%	150	1	310	5012	

⚠ Without bottom panel

Cabinet with 1 door and 1 shelf

ART.	W mm	D mm	H mm	drawers				door		RAL	
				no.	KG	h mm	h mm	no.	Entry H mm		
FBG03S50C0005PD	500	612	570	-	-	-%	-	1	491	7035+7016	
FBG03S50C000504	500	612	570	-	-	-%	-	1	491	5012	

⚠ Without bottom panel

Bottom panel

Bottom panel for cabinets W= 500 mm

ART.	W mm	D mm	H mm	RAL	
FBG16S50V0V0008	494	572	4	7035	
FBG16S50V0V0004	494	572	4	5012	

⚠ To be used on cabinets with door when the half-shelf is present

Bottom panel for cabinets W= 629 mm

ART.	W mm	D mm	H mm	RAL	
FBG16S63V0V0008	623	572	4	7035	
FBG16S63V0V0004	623	572	4	5012	

⚠ To be used on cabinets with door when the half-shelf is present



Cabinets with drawers

W → 629 mm

Cabinet with 3 drawers

ART.	W mm	D mm	H mm	drawers				door		RAL	
				no.	KG		h mm	no.	Entry H mm		
FBG03S63C0002PD	629	630	570	3	80	86%	150	-	-	7035+7016	
FBG03S63C000204	629	630	570	3	80	86%	150	-	-	5012	

Cabinet with 4 drawers

ART.	W mm	D mm	H mm	drawers				door		RAL	
				no.	KG		h mm	no.	Entry H mm		
FBG03S63C0003PD	629	630	570	4	80	86%	105	-	-	7035+7016	
FBG03S63C000304	629	630	570	4	80	86%	105	-	-	5012	

Cabinet with 1 drawer and 1 door

ART.	W mm	D mm	H mm	drawers				door		RAL	
				no.	KG		h mm	no.	Entry H mm		
FBG03S63C0004PD	629	630	570	1	80	86%	150	1	310	7035+7016	
FBG03S63C000404	629	630	570	1	80	86%	150	1	310	5012	

⚠ Without bottom panel

Cabinet with 1 door and 1 shelf

ART.	W mm	D mm	H mm	drawers				door		RAL	
				no.	KG		h mm	no.	Entry H mm		
FBG03S63C0005PD	629	612	570	-	-	-%	-	1	491	7035+7016	
FBG03S63C000504	629	612	570	-	-	-%	-	1	491	5012	

⚠ Without bottom panel

RAL 5012

RAL 7035

RAL 7035 + RAL 7016

LOAD CAPACITY

EXTRACTION



Rear panel

ART.	W mm	H mm	suitable for workbench W mm	RAL	
FBG12S080000008	825	665	1024-1031	7035	
FBG12S080000004	825	665	1024-1031	5012	
FBG12S130000008	1325	665	1500-1507	7035	
FBG12S130000004	1325	665	1500-1507	5012	
FBG12S180000008	1825	665	2000-2007	7035	
FBG12S180000004	1825	665	2000-2007	5012	



Pair of side filler strips

For workbench W=1024-1031 mm with cabinet W=629 mm

ART.	W mm	D mm	H mm	RAL	
FBG14S130V00008	65	35	568	7035	
FBG14S130V00004	65	35	568	5012	



Perforated side panel

ART.	W mm	D mm	H mm	Hole dim. mm	RAL	
FBG15S00V0V0008	610	75	669	10x10	7035	
FBG15S00V0V0004	610	75	669	10x10	5012	

Additional non-perforated middle shelf

ART.	W mm	D mm	H mm	KG	RAL	
FBG08S070600108	760	600	35	250	7035	
FBG08S070600104	760	600	35	250	5012	
FBG08S120600108	1260	600	35	250	7035	
FBG08S120600104	1260	600	35	250	5012	
FBG08S170600108	1760	600	35	200	7035	
FBG08S170600104	1760	600	35	200	5012	





Additional non-perforated half-shelf

ART.	W mm	D mm	H mm	 KG	RAL	
FBG09S070300108	760	300	35	100	7035	
FBG09S070300104	760	300	35	100	5012	
FBG09S120300108	1260	300	35	100	7035	
FBG09S120300104	1260	300	35	100	5012	
FBG09S170300108	1760	300	35	100	7035	
FBG09S170300104	1760	300	35	100	5012	



Support only for additional half-shelf

ART.	W mm	D mm	H mm	RAL	
FBG13S605V00008	605	77	35	7035	
FBG13S605V00004	605	77	35	5012	

ART.	W mm	D mm	H mm	 KG	RAL	
WORK2014	2007	704	737/1112	1000	7035+7016	



Made up of:

qty.	description
1	Unassembled adjustable workbench with 3 mm steel worktop
1	Cabinet W=500 mm with 4 drawers H=105 mm
1	Cabinet W=500 mm with 1 door and 1 adjustable shelf
1	Rear panel
1	Non-slotted half-shelf W=760 mm
1	Bottom panel for cabinet W=500 mm
2	Perforated side panel

WORK-WORK UP

DIVIDING MATERIAL

W= 500 MM

27X27 EH



ART.	Suitable for drawer H mm	No. of transversal dividers	
FBG18S50DV00199	105/150	3	



ART.	Suitable for drawer H mm	No. of transversal dividers	No. of longitudinal dividers	
FBG18S50DV00299	105/150	1	1	



ART.	Suitable for drawer H mm	components	
FBG18S50CD00103	105/150	4 x 100x50 mm Divider box	



ART.	Suitable for drawer H mm	components	
FBG18S50CD00203	105/150	3 x 100x50 mm Divider box 2 x 150x75 mm Divider box 1 x 150x150 mm Divider box	



ART.	Suitable for drawer H mm	components	
MATSEP001	105/150	1 x FBG18S50CD00103 1 x FBG18S50CD00203 1 x FBG18S50DV00299	



ART.	Suitable for drawer H mm	components	
MATSEP002	105/150	1 x FBG18S50CD00103 2 x FBG18S50CD00203 1 x FBG18S50DV00299	



Rug for chest of drawers L=500 mm

ART.	material	
FBG18S50TP00107	Polyester	

WORK-WORK UP

DIVIDING MATERIAL

W= 629 MM 36X27 EH



ART.	Suitable for drawer H mm	No. of transversal dividers	
FBG18S63DV00199	105/150	3	



ART.	Suitable for drawer H mm	No. of transversal dividers	No. of longitudinal dividers	
FBG18S63DV00299	105/150	1	1	



ART.	Suitable for drawer H mm	components	
FBG18S63CD00103	105/150	5 x 100x50 mm Divider box	



ART.	Suitable for drawer H mm	components	
FBG18S63CD00203	105/150	2 x 75x75 mm Divider box 2 x 150x75 mm Divider box 2 x 150x150 mm Divider box	



ART.	Suitable for drawer H mm	components	
MATSEP003	105/150	1 x FBG18S63CD00103 1 x FBG18S63CD00203 1 x FBG18S63DV00299	



ART.	Suitable for drawer H mm	components	
MATSEP004	105/150	1 x FBG18S63CD00103 2 x FBG18S63CD00203 1 x FBG18S63DV00299	



Rug for chest of drawers L=629 mm


ART.	material	
FBG18S63TP00107	Polyester	

Alternative configurations



Tools excluded



ART.	W mm	D mm	H mm	 KG	RAL	
WORK2042	2260	704	2098	1000	7035+7016	

Made up of:


qty.	description	qty.	description
1	Unassembled workbench with 3 mm steel worktop	7	Unipok tool hook - 30-piece pack
2	Cabinet W=629 mm with 1 drawer H=150 mm and 1 door	1	Roll holder kit with roll Ø=240 mm
1	Cabinet W=500 mm with 1 drawer H=150 mm and 1 door	2	Angled 2-space spray-can holder
2	Perforated side panel	1	Large reversible shelf
1	Bin with 30 l capacity	1	Support for 4-socket power strip
1	Kit with 3 dual-slotted uprights	1	Schuko 4-socket power strip
1	Kit with 3 inclined supports with 2 tracks	1	Wieland Schuko/FR connection cable
2	Kit with 3 perforated panels/shelves with 2 box-stop edges	2	Bar mount with 4 Picking Box containers size 1
1	Double lamp		

Alternative configurations



Tools excluded



ART.	W mm	D mm	H mm	 KG	RAL	
WORK1540	2052	750	1977/2352	1000	7035+7016	

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Cabinet W=629 mm with 1 door and 1 adjustable shelf
1	Bottom panel for cabinet W=629 mm
1	Cabinet W=629 mm with 3 drawers H=150 mm
2	Perforated side panel
1	Bin with 30 l capacity
1	Large reversible shelf
2	Angled 2-space spray-can holder
1	Kit with 2 dual-slotted uprights for workbenches
1	Kit with 2 inclined supports with track

qty.	description
1	Kit with 3 perforated panels/shelves with 2 box-stop edges
1	Double lamp
1	Single lamp
1	Roll holder kit with Ø 130 mm roll
1	Support for 4-socket power strip
1	Schuko 4-socket power strip
1	Wieland Schuko/FR connection cable
4	Unipok tool hook - 30-piece pack
2	Bar mount with 4 Picking Box containers size 1



RAL 7035 + RAL 7016 LOAD CAPACITY

DYNAMIC


WORKBENCHES




- | | |
|--------------------------------------------------|--------------------------|
| 1. End cap | 7. Laminate worktop |
| 2. USB data port | 8. Corner element |
| 3. Frame | 9. Support |
| 4. Differential magnetic-thermal circuit breaker | 10. Cabinet with drawers |
| 5. Power strips | 11. Keypad |
| 6. USB charger | |




Workbench load-bearing capacity 400 kg



Laminate worktop




Keypad with 3 memories



Electronically adjustable height

DYNAMIC



ART.	W mm	D mm	H mm		RAL	
DYNAMIC1504	1497	780	740/1140	400	7035+7016	

Made up of:

qty.	description
1	Electrically adjustable unassembled workbench
1	Cabinet W=560 mm with 3 drawers 1x75 2x100
1	Additional power strip frame with end caps and corner elements
1	Pair of supports for cabinet
2	Schuko 2-socket power strip

qty.	description
1	Schuko 4-socket power strip
1	Differential magnetic-thermal circuit breaker
1	Wieland connection cable with in/out plugs
1	Wieland Schuko/FR connection cable
1	USB data port
1	USB charging port



RAL 7035 + RAL 7016 LOAD CAPACITY



ART.	W mm	D mm	H mm	 KG	RAL	
DYNAMIC1501	1497	780	1983/2383	400	7035+7016	

Made up of:

qty.	description	qty.	description
1	Electrically adjustable unassembled workbench	2	Single lamp
1	Cabinet W=560 mm with 3 drawers 1x75 2x100	1	Supplementary track with fittings
2	Perforated panel/shelf with box-stop edge	1	USB charging port
1	Kit with 2 dual-slotted uprights for workbenches	1	USB data port
1	Kit with 2 inclined supports with track	1	Wieland Schuko/FR connection cable
1	Electric perforated panel	1	Differential magnetic-thermal circuit breaker
1	Double lamp	1	Schuko 4-socket power strip
1	Pair of supports for cabinet	2	Schuko 2-socket power strip
1	Additional power strip frame with end caps and corner elements	36	Picking Box polypropylene container size 2

DYNAMIC



ART.	W mm	D mm	H mm	KG	RAL	
DYNAMIC1503	1497	780	1983/2383	400	7035+7016	

Made up of:

qty.	description
1	Electrically adjustable unassembled workbench
1	Cabinet W=500 mm with 1 drawer H=150 mm
1	Supplementary track with fittings
1	Perforated panel/shelf
2	Perforated panel/shelf with box-stop edge
1	Kit with 2 dual-slotted uprights for workbenches
1	Kit with 2 inclined supports with track
1	Reversible tray shelf
1	Unipok tool hook - 30-piece pack
1	Cover for cabinet W=500 mm
2	Schuko 2-socket power strip
1	Schuko 4-socket power strip
1	Differential magnetic-thermal circuit breaker
1	Wieland Schuko/FR connection cable
1	USB data port
1	USB charging port
1	Electric perforated panel
1	Double lamp
3	Single lamp
1	Additional power strip frame with end caps and corner elements
1	Pair of supports for cabinet
36	Picking Box polypropylene container size 2



ART.	W mm	D mm	H mm	KG	RAL	
DYNAMIC1502	1497	780	1983/2383	400	7035+7016	

Made up of:


qty.	description
1	Electrically adjustable unassembled workbench
2	Wall unit with door
1	Supplementary track with fittings
2	Perforated panel/shelf with box-stop edge
1	Kit with 2 dual-slotted uprights for workbenches
1	Kit with 2 inclined supports with track
1	Electric perforated panel
1	Schuko 4-socket power strip
1	Differential magnetic-thermal circuit breaker
1	Wieland Schuko/FR connection cable
1	USB data port
1	USB charging port
1	Reversible tray shelf
1	Double lamp
1	Single lamp
1	Additional power strip frame with end caps and corner elements
2	Schuko 2-socket power strip
18	Picking Box polypropylene container size 2





RAL 7035 + RAL 7016 LOAD CAPACITY


DYNAMIC


COMPONENTS

 400 kg

 height-adjustable

 Supplied unassembled





Base workbench with reversible crosspiece

ART.	W mm	D mm	H mm	RAL	
FLE0970E0PD	985	700	740/1140	7035+7016	
FLE1470E0PD	1470	700	740/1140	7035+7016	

1. Reversible crosspiece



The workbench is equipped with legs with electronic height adjustment. The height can vary from minimum 740 mm to maximum 1140 mm.



The numerical keypad allows for controlling the workbench adjustment mechanism. In addition to modifying the worktop's height, it also has 3 positioning memories for rapidly modifying the height of the workbench to the user's requirements.

front view of the crosspiece



rear view of the crosspiece



The workbench's crosspiece has incisions for fitting the power sockets and the Iron Team Electric residual current devices. The number of incisions varies in relation to the chosen size. The various components can be installed both on the rear and on the front side of the crosspiece. The Iron Team Electric devices are not included with the crosspiece.

Crosspiece sockets diagram

1000



1500



1

hole for cables

2

magnetic-thermal circuit breaker

3

2-socket power strip

4

4-socket power strip

5

control unit

DYNAMIC COMPONENTS



1. Reversible crosspiece
2. Frame
3. Corner elements
4. End caps

Additional power strip frame with end caps and corner elements

ART.	W mm	D mm	H mm	RAL	
FBL46600008	1014	130	208	7035	
FBL46650008	1499	130	208	7035	



top view of the frame



bottom view of the frame



To assemble the Work Look upright, it is necessary to install the additional frame.

The reversible frame for the workbench has incisions for fitting the power sockets and the Iron Team Electric residual current devices. The number of incisions varies in relation to the chosen size. The various components can be installed both on the top and on the bottom side of the reversible frame. The Iron Team Electric devices are not included with the additional frame.

frame sockets diagram



- 1
- 2
- 4
- 3
- 3
- 5

1 USB data

2 magnetic-thermal circuit breaker

3 2-socket power strip

4 4-socket power strip

5 USB charging port




- 1
- 2
- 4
- 3
- 3
- 5





Cabinet with 3 drawers



ART.	W mm	D mm	H mm	drawers				RAL	
				no.	h 75 mm	h 100 mm			
MBR05SC010203PD	560	610	369	3	1	2	100-75-50	92-96-100%	7035+7016

Cabinet with 1 drawer



ART.	W mm	D mm	H mm	drawers				RAL	
				no.			h mm		
FBG03S50C0001PD	500	630	210	1	80	86%	150	7035+7016	



Cover for cabinet W=500 mm
For cabinet with 1 drawer

ART.	W mm	D mm	H mm	RAL	
FBL66900008	496	601	2	7035	



Pair of supports for cabinet

ART.	W mm	D mm	H mm	RAL	
FBL46010008	2	648	181	7035	

IRONTEAM

Electric



FBLET012007



FBLET004007



FBLET005007



FBLET016007



FBLET013007



FBLET020007



FBLET019007

see page 96

DYNAMIC

COMPONENTS



The Dynamic workbench with electronically adjustable height can be used to create a dynamic and ergonomic industrial workstation suited to applications in a variety of sectors. To maximise the user's comfort, Dynamic offers several solutions: cabinets with drawers, additional frames or crossbeams for electrical components, Work Look perforated panels. The legs with adjustable height are controlled through a practical numerical keypad. The height of the workbench can be varied to the millimetre between minimum 740 mm to maximum 1140 mm. The keypad can memorise three different heights to rapidly and easily adjust the worktop with a few steps.



1. 2-layer ESD mat
2. ESD schuko plug
3. Adjustable strap with button and cable
4. Cable with button

2-layer ESD mat

ART.	W mm	D mm	H mm	
FAXTAPPIER120XB	900	600	2	

Adjustable strap with button and cable

ART.	Cable length (m)	
FAXITE780419304	2,5	

ESD schuko plug



ART.	W mm	D mm	H mm	
FAXSCHUKOESD005	52	52	72	

Cable with button


ART.	W mm	
FAXITE7804885XB	2500	

WORK LOOK


TOOL WALLS




Wall-mounted




10x10 square
holes



Suitable for
wood and steel
worktops




Modular



38 mm pitch

WORK LOOK



ART.	W mm	D mm	H mm	 KG	RAL	
MASTERBR1507	1706	750	1985/2360	1000	7035+7016	

Made up of:

qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
1	Cabinet W=560 mm with 5 drawers 1x75 3x100 1x200
2	Top/bottom shelf W=560 mm
1	Left full door H=600 mm with Dark Grey handle
1	Internal shelf W=558 mm
1	Support for intermediate half-shelf
2	Perforated side panel
1	LED strip
1	Pair of brackets for fastening wall unit to dual-slotted uprights
1	Wall unit with vasistas flip up opening without lock
1	Double lamp
1	Kit with 2 perforated panels/shelves with 1 box-stop edge
1	Kit with 2 inclined supports with track

qty.	description
1	Kit with 2 dual-slotted uprights for workbenches
1	Bin with 30 l capacity
1	Large reversible shelf
1	Bar mount with 4 Picking Box containers size 1
3	Unipok tool hook - 30-piece pack
2	Angled 2-space spray-can holder
1	Roll holder kit with Ø 130 mm roll
1	A4 document-holder pocket
1	Wieland Schuko/FR connection cable
1	Schuko 4-socket power strip
1	Schuko 2-socket power strip
1	Support for 4-socket power strip
1	Support for 2-socket power strip
1	Kit with 2 Picking Box containers size 3A2



LOAD CAPACITY RAL 7035 + RAL 7016


WORK LOOK



Change the appearance of your workbench and make it suitable for various uses with Work Look!

Depending on how you install it, you can use it as:
a perforated panel, a horizontal shelf, an inclined shelf with box-stop edge.




ART.	W mm	D mm	H mm	 uprights	RAL	
WORKLOOK1001	1015	80	639	50	7035+7016	
WORKLOOK1002	1015	80	639	50	5012	

Made up of:

qty.	description
1	Kit with 2 dual-slotted uprights for workbenches
1	Kit with 2 perforated panels/shelves with 1 box-stop edge




ART.	W mm	D mm	H mm	 uprights	RAL	
WORKLOOK1003	1015	80	943	50	7035+7016	
WORKLOOK1004	1015	80	943	50	5012	

Made up of:

qty.	description
1	Kit with 2 dual-slotted uprights for workbenches
1	Kit with 3 perforated panels/shelves with 2 box-stop edges




ART.	W mm	D mm	H mm	 uprights	RAL	
WORKLOOK1501	1500	80	639	50	7035+7016	
WORKLOOK1502	1500	80	639	50	5012	

Made up of:

qty.	description
1	Kit with 2 dual-slotted uprights for workbenches
1	Kit with 2 perforated panels/shelves with 1 box-stop edge




ART.	W mm	D mm	H mm	 uprights	RAL	
WORKLOOK1503	1500	80	943	50	7035+7016	
WORKLOOK1504	1500	80	943	50	5012	

Made up of:

qty.	description
1	Kit with 2 dual-slotted uprights for workbenches
1	Kit with 3 perforated panels/shelves with 2 box-stop edges

WORK LOOK




ART.	W mm	D mm	H mm	 uprights	RAL	
WORKLOOK2001	2000	80	639	50	7035+7016	
WORKLOOK2002	2000	80	639	50	5012	

Made up of:

qty.	description
1	Kit with 3 dual-slotted uprights
2	Kit with 2 perforated panels/shelves with 1 box-stop edge




ART.	W mm	D mm	H mm	 uprights	RAL	
WORKLOOK2003	2000	80	943	50	7035+7016	
WORKLOOK2004	2000	80	943	50	5012	

Made up of:

qty.	description
1	Kit with 3 dual-slotted uprights
2	Kit with 3 perforated panels/shelves with 2 box-stop edges




ART.	W mm	D mm	H mm	 uprights	RAL	
WORKLOOK3001	2970	80	639	50	7035+7016	
WORKLOOK3002	2970	80	639	50	5012	

Made up of:

qty.	description
1	Kit with 3 dual-slotted uprights
2	Kit with 2 perforated panels/shelves with 1 box-stop edge



ART.	W mm	D mm	H mm	 uprights	RAL	
WORKLOOK3003	2970	80	943	50	7035+7016	
WORKLOOK3004	2970	80	943	50	5012	

Made up of:

qty.	description
1	Kit with 3 dual-slotted uprights
2	Kit with 3 perforated panels/shelves with 2 box-stop edges


Configuration examples



LOAD CAPACITY RAL 7035 + RAL 7016 RAL 5012

WORK LOOK




ART.	W mm	D mm	H mm	 uprights	RAL	
WORKLOOK1005	1015	373	1063	50	7035+7016	
WORKLOOK1006	1015	373	1063	50	5012	

Made up of:

qty.	description
1	Kit with 2 dual-slotted uprights for workbenches
1	Kit with 2 perforated panels/shelves with 1 box-stop edge
1	Wall unit with vasistas flip up opening without lock
1	Pair of brackets for fastening wall unit to dual-slotted uprights




ART.	W mm	D mm	H mm	 uprights	RAL	
WORKLOOK1007	1015	373	1063	50	7035+7016	
WORKLOOK1008	1015	373	1063	50	5012	

Made up of:

qty.	description
1	Kit with 2 dual-slotted uprights for workbenches
1	Perforated panel/shelf with box-stop edge
1	Electric perforated panel
1	Wall unit with vasistas flip up opening without lock
1	Pair of brackets for fastening wall unit to dual-slotted uprights
1	Schuko 4-socket power strip
1	Wieland Schuko/FR connection cable




ART.	W mm	D mm	H mm	 uprights	RAL	
WORKLOOK1505	1500	373	1063	50	7035+7016	
WORKLOOK1506	1500	373	1063	50	5012	

Made up of:

qty.	description
1	Kit with 2 dual-slotted uprights for workbenches
1	Kit with 2 perforated panels/shelves with 1 box-stop edge
1	Wall unit with vasistas flip up opening without lock
1	Pair of brackets for fastening wall unit to dual-slotted uprights



ART.	W mm	D mm	H mm	 uprights	RAL	
WORKLOOK1507	1500	373	1063	50	7035+7016	
WORKLOOK1508	1500	373	1063	50	5012	


Made up of:

qty.	description
1	Kit with 2 dual-slotted uprights for workbenches
1	Perforated panel/shelf with box-stop edge
1	Electric perforated panel
1	Wall unit with vasistas flip up opening without lock
1	Pair of brackets for fastening wall unit to dual-slotted uprights
1	Schuko 4-socket power strip
1	Wieland Schuko/FR connection cable




WORK LOOK



ART.	W mm	D mm	H mm	 uprights	RAL	
WORKLOOK2005	2000	373	1063	50	7035+7016	
WORKLOOK2006	2000	373	1063	50	5012	

Made up of:


qty.	description
1	Kit with 3 dual-slotted uprights
2	Kit with 2 perforated panels/shelves with 1 box-stop edge
2	Wall unit with vasistas flip up opening without lock
2	Pair of brackets for fastening wall unit to dual-slotted uprights

ART.	W mm	D mm	H mm	 uprights	RAL	
WORKLOOK2007	2000	373	1063	50	7035+7016	
WORKLOOK2008	2000	373	1063	50	5012	

Made up of:


qty.	description
1	Kit with 3 dual-slotted uprights
2	Perforated panel/shelf with box-stop edge
2	Electric perforated panel
2	Wall unit with vasistas flip up opening without lock
2	Pair of brackets for fastening wall unit to dual-slotted uprights
2	Schuko 4-socket power strip
1	Wieland connection cable with in/out plugs
1	Wieland Schuko/FR connection cable



ART.	W mm	D mm	H mm	 uprights	RAL	
WORKLOOK3005	2970	373	1063	50	7035+7016	
WORKLOOK3006	2970	373	1063	50	5012	

Made up of:

qty.	description
1	Kit with 3 dual-slotted uprights
2	Kit with 2 perforated panels/shelves with 1 box-stop edge
2	Wall unit with vasistas flip up opening without lock
2	Pair of brackets for fastening wall unit to dual-slotted uprights

ART.	W mm	D mm	H mm	 uprights	RAL	
WORKLOOK3007	2970	373	1063	50	7035+7016	
WORKLOOK3008	2970	373	1063	50	5012	

Made up of:

qty.	description
1	Kit with 3 dual-slotted uprights
2	Perforated panel/shelf with box-stop edge
2	Electric perforated panel
2	Wall unit with vasistas flip up opening without lock
2	Pair of brackets for fastening wall unit to dual-slotted uprights
2	Schuko 4-socket power strip
1	Wieland connection cable with in/out plugs
1	Wieland Schuko/FR connection cable



Configuration examples



LOAD CAPACITY RAL 7035 + RAL 7016


RAL 5012

WORK LOOK


Uprights



Kit with 2 dual-slotted uprights for workbenches

ART.	W mm	D mm	H mm	 KG	suitable for workbench W mm	RAL	
FBL75301604	30	80	639	50	1000-1500	5012	
FBL75301639	30	80	639	50	1000-1500	7016	
FBL75351604	30	80	943	50	1000-1500	5012	
FBL75351639	30	80	943	50	1000-1500	7016	

Kit with 3 dual-slotted uprights

ART.	W mm	D mm	H mm	 KG	suitable for workbench W mm	RAL	
FBL75302104	30	80	639	50	2000-3000	5012	
FBL75302139	30	80	639	50	2000-3000	7016	
FBL75352104	30	80	943	50	2000-3000	5012	
FBL75352139	30	80	943	50	2000-3000	7016	

WORK LOOK

Inclined supports with base track



Kit with 2 inclined supports with track

ART.	W mm	D mm	H mm	RAL	
FBL98102039	1015	686	307	7016	
FBL98102004	1015	686	307	5012	



Kit with 2 inclined supports with track

ART.	W mm	D mm	H mm	RAL	
FBL98152039	1500	686	307	7016	
FBL98152004	1500	686	307	5012	



Kit with 3 inclined supports with 2 tracks

ART.	W mm	D mm	H mm	RAL	
FBL98202039	2000	686	307	7016	
FBL98202004	2000	686	307	5012	



Kit with 3 inclined supports with 2 tracks

ART.	W mm	D mm	H mm	RAL	
FBL98302039	2970	686	307	7016	
FBL98302004	2970	686	307	5012	



Supplementary track with fittings

ART.	W mm	D mm	H mm	material	
FBL98101000	1015	60	67	Aluminium	
FBL98151000	1500	60	67	Aluminium	



Compressed air set with flow balancing device and filter

ART.	
FBL97200300	

Complete with:
 1 Ø 10 mm flexible cable
 1 T connector (1/4") with cap (B)
 2 slide fittings
 1 carabiner
 1 balancing device with 1600 mm-long steel cable with a 1/2 kg load-bearing capacity
 1 universal fitting (1/4") for tools (A)
 1 spiralled pipe with 5,5 mm internal diameter
 1 pipe with 5,5 mm internal diameter for purging the filter
 1 regulator filter unit with pressure gauge – which can be used with a maximum pressure of 10 bar, its flow rate is roughly 9 litres per second (on point A) and 11 litres per second (on point B) with a 6.3 bar operating pressure (the flow rate can vary in relation to the technical features of the compressed air line to which the Fami plant is connected)
 1/4" couplings

WORK LOOK

Perforated panels/shelf 953 mm



Perforated panel/shelf

ART.	W mm	D mm	H mm	Hole dim. mm	Pitch mm	RAL	
FBL76160008	953	31	304	10x10	38	7035	
FBL76160004	953	31	304	10x10	38	5012	



Kit with 2 perforated panels/shelves with 1 box-stop edge

ART.	W mm	D mm	H mm	Hole dim. mm	Pitch mm	RAL	
FBL76160208	953	60	304	10x10	38	7035	
FBL76160204	953	60	304	10x10	38	5012	



Kit with 3 perforated panels/shelves with 2 box-stop edges

ART.	W mm	D mm	H mm	Hole dim. mm	Pitch mm	RAL	
FBL76160308	953	60	304	10x10	38	7035	
FBL76160304	953	60	304	10x10	38	5012	



Perforated panel/shelf with box-stop edge

ART.	W mm	D mm	H mm	Hole dim. mm	Pitch mm	RAL	
FBL76170108	953	60	456	10x10	38	7035	
FBL76170104	953	60	456	10x10	38	5012	



Electric perforated panel

ART.	W mm	D mm	H mm	Hole dim. mm	Pitch mm	RAL	
FBL76180008	953	31	152	10x10	38	7035	
FBL76180004	953	31	152	10x10	38	5012	



1. USB data port
2. Differential magnetic-thermal circuit breaker
3. 4-socket power strip
4. 2-socket power strip
5. USB charger

WORK LOOK

Perforated panels/shelf 1438 mm



Perforated panel/shelf

ART.	W mm	D mm	H mm	Hole dim. mm	Pitch mm	RAL	
FBL76310008	1438	31	304	10x10	38	7035	
FBL76310004	1438	31	304	10x10	38	5012	



Kit with 2 perforated panels/shelves with 1 box-stop edge

ART.	W mm	D mm	H mm	Hole dim. mm	Pitch mm	RAL	
FBL76310208	1438	60	304	10x10	38	7035	
FBL76310204	1438	60	304	10x10	38	5012	



Kit with 3 perforated panels/shelves with 2 box-stop edges

ART.	W mm	D mm	H mm	Hole dim. mm	Pitch mm	RAL	
FBL76310308	1438	60	304	10x10	38	7035	
FBL76310304	1438	60	304	10x10	38	5012	



Perforated panel/shelf with box-stop edge

ART.	W mm	D mm	H mm	Hole dim. mm	Pitch mm	RAL	
FBL76320108	1438	60	456	10x10	38	7035	
FBL76320104	1438	60	456	10x10	38	5012	



Electric perforated panel

ART.	W mm	D mm	H mm	Hole dim. mm	Pitch mm	RAL	
FBL76330008	1438	31	152	10x10	38	7035	
FBL76330004	1438	31	152	10x10	38	5012	



Pair of supports for perforated panel/shelf

ART.	W mm	D mm	H mm	RAL	
FVT01010039	12	237	99	7016	



WORK LOOK



ART.	RAL	
WORKLOOK9001	7035	



Made up of:

qty.	description
2	Perforated panel/shelf with box-stop edge
3	Perforated panel/shelf
5	Kit with panel wall-mounting brackets
1	Reversible tray shelf
1	Reversible sanitiser-bottle holder
1	Roll holder kit with roll Ø=240 mm
1	Glove dispenser
1	A4 document-holder pocket
2	Large reversible shelf


qty.	description
1	Bin with 30 l capacity
5	Unipok tool hook - 30-piece pack
1	Schuko 2-socket power strip
1	Schuko 4-socket power strip
1	Differential magnetic-thermal circuit breaker
1	Wieland Schuko/FR connection cable
1	Support for 2-socket power strip
1	Support for 4-socket power strip
1	Support for residual current device
2	Double lamp

Kit with panel wall-mounting brackets

ART.	Finish	
FBL76000099	Galvanised	



WORK LOOK



Perforated panels, see p. 60
 Wall fixing of perforated panels, see p. 62
 Unipok hooks, see p. 85
 The Block hooks, see p. 86
 Iron Team accessories, see p. 90


 RAL 7035


 RAL 5012

WORK LOOK

Shutters




Cabinet with shutter

ART.	W mm	D mm	H mm	RAL	
FBL8050C00008	943	220	912	7035	
FBL8050C00004	943	220	912	5012	
FBL8054C00008	1428	220	912	7035	
FBL8054C00004	1428	220	912	5012	
FBL8056C00008	1928	220	912	7035	
FBL8056C00004	1928	220	912	5012	



Pair of brackets for fixing cabinet with shutter on uprights

ART.	W mm	D mm	H mm	RAL	
FBL8060000008	33	21	904	7035	
FBL8060000004	33	21	904	5012	

 To be used for fixing the cabinet with shutter on the double-slotted uprights



LED strip

Without on/off button

ART.	W mm	Colour temperature K	Watt	Hz	Lumen	
FBL99400213	873	4000	15	50/60	1500	
FBL99450213	1173	4000	20	50/60	2000	

WORK LOOK

Wall units



Wall unit with vasistas flip up opening without lock


ART.	W mm	D mm	H mm		RAL	
FBL8005X000PD	943	350	456	50	7035+7016	
FBL8005X00004	943	350	456	50	5012	
FBL8010X000PD	1428	350	456	50	7035+7016	
FBL8010X00004	1428	350	456	50	5012	

Lockset for wall unit

ART.	
FBL8020C00000	

Pair of brackets for fastening wall unit to dual-slotted uprights

ART.	W mm	D mm	H mm	RAL	
FBL8025000008	33	21	455	7035	
FBL8025000004	33	21	455	5012	

 To be used for fastening the wall unit to the dual-slotted uprights

LED strip

Without on/off button

ART.	W mm	Colour temperature K	Watt	Hz	Lumen	
FBL99350213	573	4000	10	50/60	1000	
FBL99400213	873	4000	15	50/60	1500	
FBL99450213	1173	4000	20	50/60	2000	



LOAD CAPACITY



RAL 7035 + RAL 7016




RAL 5012



RAL 7035


COMPONENTS



COMPONENTS




Table with folding legs

ART.	Overall dimensions when open			Overall dimensions when closed			Worktop material	 KG	RAL	
	W mm	D mm	H mm	W mm	D mm	H mm				
F22WWTABLE00039	1184	590	896	1100	590	60	Multiplex	400	7016	



Kit with 3 hooks for fastening the table vertically

ART.	W mm	D mm	H mm	 KG	RAL	
F22WWTABLEFIS39	152	81	92	25	7016	

COMPONENTS

Work chairs



Adjustable chair with pneumatic cylinder equipped with wheels

ART.	W mm	D mm	material	Seat H mm	No. of wheels	
FAX1100RG000000	630	630	Beech	510/690	5	



Adjustable chair with pneumatic cylinder equipped with feet

ART.	W mm	D mm	material	Seat H mm	No. of feet	colour	
FAX120000000007	630	630	Polyurethane	580/840	5	Black	



Adjustable chair with pneumatic cylinder equipped with wheels

ART.	W mm	D mm	material	Seat H mm	No. of wheels	colour	
FAX125000000007	630	630	Polyurethane	540/730	5	Black	

COMPONENTS

Work chairs



Adjustable chair with pneumatic cylinder equipped with wheels

ART.	W mm	D mm	material	Seat H mm	No. of wheels	colour	
FAXCATY50000007	630	630	Polyurethane	435/565	5	Black	



Adjustable chair with pneumatic cylinder equipped with wheels

ART.	W mm	D mm	material	Seat H mm	No. of wheels	colour	
FAXCATY80000007	630	630	Polyurethane	525/710	5	Black	



Adjustable antistatic chair with gas pump with wheels


ART.	W mm	D mm	material	Seat H mm	No. of wheels	colour	
FAXGREF21200001	640	640	Antistatic fabric	470/600	5	Dark grey	

ERGO WORK


SWIVEL ARMS



Configurable




**Mounting on
uprights**



**Mounting on
worktop**





**Load-bearing
capacity 20 kg**



**Rotation angle
240–260°**

ERGO WORK



ART.	W mm	D mm	H mm		RAL	
DYNAMIC1506	1497/3139	780	1983/2383	400	7035+7016	

Made up of:

qty.	description
1	Electrically adjustable unassembled workbench
1	Cabinet W=500 mm with 1 drawer H=150 mm
1	Cover for cabinet W=500 mm
1	Pair of supports for cabinet
1	Additional power strip frame with end caps and corner elements
1	Kit with 2 dual-slotted uprights for workbenches
1	Kit with 2 inclined supports with track
1	Double lamp
1	Supplementary track with fittings
1	Compressed air set with flow balancing device and filter
2	Perforated panel/shelf with box-stop edge
3	Single lamp
1	Perforated panel/shelf
1	Electric perforated panel
2	Unipok tool hook - 30-piece pack
1	Differential magnetic-thermal circuit breaker

qty.	description
1	Schuko 4-socket power strip
2	Schuko 2-socket power strip
1	USB charging port
1	USB data port
1	Wieland Schuko/FR connection cable
1	Glove dispenser
1	Reversible sanitiser-bottle holder
36	Picking Box polypropylene container size 2
4	Swivel arm for upright
1	Joint for plate
3	Monitor support plate with VESA standard
1	Panel for Picking Box
3	Bar mount with 4 Picking Box containers size 1
1	Panel for Visual Box
2	Visual Box cabinet with 6 drawers H=112 mm
1	Visual Box cabinet with 5 drawers H=164 mm
1	Inclined tray



LOAD CAPACITY RAL 7035 + RAL 7016



Swivel arm with Picking Box

ART.	W mm	D mm	H mm	RAL	
ERGOWORK002	760/515	470/283	356	7016	

Made up of:

qty.	description
1	Swivel arm for upright
1	Monitor support plate with VESA standard
1	Panel for Picking Box
3	Bar mount with 4 Picking Box containers size 1



Swivel arm with Picking Box

ART.	W mm	D mm	H mm	RAL	
ERGOWORK003	826/515	470/348	356	7016	

Made up of:

qty.	description
1	Swivel arm for upright
1	Monitor support plate with VESA standard
1	Panel for Picking Box
1	Bar mount with 3 Picking Box containers size 2
1	Bar mount with 4 Picking Box containers size 1



Swivel arm with Visual Box

ART.	W mm	D mm	H mm	RAL	
ERGOWORK004	738/612	601/294	390	7016	

Made up of:

qty.	description
1	Swivel arm for upright
1	Monitor support plate with VESA standard
1	Panel for Visual Box
1	Visual Box cabinet with 5 drawers H=164 mm
2	Visual Box cabinet with 6 drawers H=112 mm



Monitor support plate with brackets

ART.	W mm	D mm	H mm	RAL	
ERGOWORK014	225/129	119/225	225	7016	

Made up of:

qty.	description
1	Pair of L-shaped brackets
1	Joint for plate
1	Monitor support plate with VESA standard



Perforated panel with hinges

ART.	W mm	D mm	H mm	RAL	
ERGOWORK007	647	50	479	7035	

Made up of:

qty.	description
1	Perforated panel/shelf with box-stop edge
1	Hinge kit for perforated panel



Swivel arm with inclined tray

ART.	W mm	D mm	H mm	RAL	
ERGOWORK005	674/522	425/470	194	7016	

Made up of:

qty.	description
1	Swivel arm for upright
1	Inclined tray



Swivel arm with monitor support plate

ART.	W mm	D mm	H mm	RAL	
ERGOWORK001	652/330	225/225	225	7016	

Made up of:

qty.	description
1	Swivel arm for upright
1	Joint for plate
1	Monitor support plate with VESA standard





RAL 7035



RAL 7016



ART.	W mm	D mm	H mm	 without wheels	 wheel set	RAL	
CLEVER1031	1036	672	1428	300	300	7035	

Made up of:

qty.	description	qty.	description
1	Unassembled trolley without wheels	1	Profile with base for worktop
1	Wooden worktop with supports	1	Pair of L-shaped brackets
2	Perforated side panel	1	Joint for plate
1	Perforated rear panel	1	Monitor support plate with VESA standard
1	Pair of hinged doors	1	Non-marking synthetic rubber wheels kit Ø 125 mm




Swivel arm with inclined tray

ART.	W mm	D mm	H mm	RAL	
ERGOWORK013	745/521	425/480	552	7016	

Made up of:

qty.	description
1	Profile with base for worktop
1	Swivel arm for profile
1	Inclined tray



Swivel arm with monitor support plate

ART.	W mm	D mm	H mm	RAL	
ERGOWORK009	724/402	225/192	550	7016	

Made up of:

qty.	description
1	Profile with base for worktop
1	Swivel arm for profile
1	Joint for plate
1	Monitor support plate with VESA standard



Profile with monitor support plate

ART.	W mm	D mm	H mm	RAL	
ERGOWORK008	225/199	151/225	560	7016	

Made up of:

qty.	description
1	Profile with base for worktop
1	Pair of L-shaped brackets
1	Joint for plate
1	Monitor support plate with VESA standard



LOAD CAPACITY



RAL 7016



RAL 7035



Swivel arm with Picking Box

ART.	W mm	D mm	H mm	RAL	
ERGOWORK010	832/515	470/300	628	7016	

Made up of:

qty.	description
1	Profile with base for worktop
1	Swivel arm for profile
1	Monitor support plate with VESA standard
1	Panel for Picking Box
3	Bar mount with 4 Picking Box containers size 1



Swivel arm with Picking Box

ART.	W mm	D mm	H mm	RAL	
ERGOWORK011	898/515	470/365	628	7016	

Made up of:

qty.	description
1	Profile with base for worktop
1	Swivel arm for profile
1	Monitor support plate with VESA standard
1	Panel for Picking Box
1	Bar mount with 3 Picking Box containers size 2
1	Bar mount with 4 Picking Box containers size 1





Swivel arm with Visual Box

ART.	W mm	D mm	H mm	RAL	
ERGOWORK012	808/601	601/275	668	7016	

Made up of:

qty.	description
1	Profile with base for worktop
1	Swivel arm for profile
1	Monitor support plate with VESA standard
1	Panel for Visual Box
1	Visual Box cabinet with 5 drawers H=164 mm
2	Visual Box cabinet with 6 drawers H=112 mm



ART.	W mm	D mm	H mm		RAL	
MASTERBR2008	3347	750	1985/2360	1000	7035+7016	

Made up of:

qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
1	Cover for multiplex worktop
1	Cabinet W=560 mm with 4 drawers 1x75 2x150 1x200
1	Cabinet W=560 mm configured for door with 1 adjustable shelf
1	Left full door H=600 mm with Dark Grey handle
2	Additional half-shelf W=560 mm
1	Kit with 2 dual-slotted uprights for workbenches
1	Kit with 2 inclined supports with track
1	Supplementary track with fittings
1	Double lamp
1	Kit with 3 perforated panels/shelves with 2 box-stop edges
1	Electric perforated panel
2	Schuko 2-socket power strip
1	Schuko 4-socket power strip

qty.	description
1	Differential magnetic-thermal circuit breaker
1	Wieland Schuko/FR connection cable
1	Reversible sanitiser-bottle holder
1	Glove dispenser
1	Roll holder kit with roll Ø=240 mm
4	Kit with 2 Picking Box containers size 3A2
2	Perforated panel/shelf with box-stop edge
2	Hinge kit for perforated panel
4	Bar mount with 4 Picking Box containers size 1
4	Bar mount with 3 Picking Box containers size 2
2	Profile with base for worktop
2	Swivel arm for profile
1	Inclined tray
1	Joint for plate
1	Monitor support plate with VESA standard




LOAD CAPACITY



RAL 7035 + RAL 7016



RAL 7016




1. Monitor support plate with VESA standard
2. Joint for plate
3. Swivel arm for profile
4. Profile with base for worktop



1. Monitor support plate with VESA standard
2. Panel for Visual Box
3. Visual Box cabinet with 6 drawers H=112 mm
4. Swivel arm for upright




Swivel arm for upright

ART.	W mm	D mm	H mm	Rotation angle °	material	 KG	RAL	
FBL74100039	580/330	72/97	158	240	Aluminium	20	7016	




Swivel arm for profile

To be used on profile with base for worktop

ART.	W mm	D mm	H mm	Rotation angle °	material	 KG	RAL	
FBL74180039	621/371	57/90	158	260	Aluminium	20	7016	



Profile with base for worktop

ART.	W mm	D mm	H mm	suitable for	material	 KG	RAL	
FBL74160039	100	100	504	Multiplex worktop-MDF worktop with rubber coating	Aluminium	20	7016	



Panel for Visual Box

To be used with monitor support plate

ART.	W mm	D mm	H mm	Hole dim. mm	Pitch mm	 KG	RAL	
FBL74150039	601	31	313	10x10	38	20	7016	

See Visual Box page 322



Monitor support plate with VESA standard
Can be oriented on one axis

ART.	W mm	D mm	H mm	RAL	
FBL74120039	225	50	225	7016	



Joint for plate
To be used with a monitor support plate to be oriented on two axes

ART.	W mm	D mm	H mm	RAL	
FBL74110039	91	67	51	7016	



Pair of L-shaped brackets
To be used with monitor support plate

ART.	W mm	D mm	H mm	RAL	
FBL74170039	38	36	32	7016	



Inclined tray

ART.	W mm	D mm	H mm	RAL	
FBL74130039	425	308	135	7016	




- 1. Inclined tray
- 2. Swivel arm for profile
- 3. Profile with base for worktop



Panel for Picking Box

To be used with monitor support plate

ART.	W mm	D mm	H mm	suitable for	 kg	RAL	
FBL74140039	470	12	356	Picking Box container size 1/2	20	7016	



Bar mount with 4 Picking Box containers size 1

ART.	W mm	D mm	H mm	colour of containers	
FBLIT011000	445	168	85	Dark grey	
FBLIT012000	445	168	85	Black	



Bar mount with 3 Picking Box containers size 2

ART.	W mm	D mm	H mm	colour of containers	
FBLIT013000	447	233	123	Dark grey	
FBLIT014000	447	233	123	Black	



1. Bar mount with 4 Picking Box containers size 1

2. Panel for Picking Box

3. Monitor support plate with VESA standard

4. Swivel arm for upright



Perforated panel/shelf

ART.	W mm	D mm	H mm	Hole dim. mm	Pitch mm	RAL	
FBL76070008	647	31	304	10x10	38	7035	
FBL76070004	647	31	304	10x10	38	5012	




Perforated panel/shelf with box-stop edge

ART.	W mm	D mm	H mm	Hole dim. mm	Pitch mm	RAL	
FBL76080108	647	60	456	10x10	38	7035	
FBL76080104	647	60	456	10x10	38	5012	



Hinge kit for perforated panel

ART.	W mm	D mm	H mm	
FBL7600011F	64	54	21	



- 1. Perforated panel/shelf with box-stop edge
- 2. Hinge kit for perforated panel



LOAD CAPACITY



RAL 5012




RAL 7016



RAL 7035



ART.	W mm	D mm	H mm	 KG	RAL	
MASTERBR1509	1706/3016	750	1985/2360	1000	7035+7016	


Made up of:

qty.	description	qty.	description
1	Unassembled workbench with 40 mm multiplex worktop	3	Swivel arm for upright
1	Cabinet W=560 mm with 5 drawers 1x75 3x100 1x200	1	Joint for plate
2	Top/bottom shelf W=560 mm	2	Monitor support plate with VESA standard
1	Left full door H=600 mm with Dark Grey handle	1	Inclined tray
1	Internal shelf W=558 mm	1	Panel for Visual Box
1	Support for intermediate half-shelf	1	Visual Box cabinet with 5 drawers H=164 mm
2	Perforated side panel	2	Visual Box cabinet with 6 drawers H=112 mm
1	Kit with 2 dual-slotted uprights for workbenches	1	Bin with 30 l capacity
1	Kit with 2 perforated panels/shelves with 1 box-stop edge	2	Angled 2-space spray-can holder
1	Kit with 2 inclined supports with track	1	A4 document-holder pocket
1	Double lamp	1	Roll holder kit with Ø 130 mm roll
1	Wall unit with vasistas flip up opening without lock	3	Unipok tool hook - 30-piece pack
1	LED strip	1	Bar mount with 4 Picking Box containers size 1
1	Pair of brackets for fastening wall unit to dual-slotted uprights	1	Bar mount with 3 Picking Box containers size 2



ERGO WORK



ART.	W mm	D mm	H mm	 KG	RAL	
DYNAMIC1505	1497/1672	780	1983/2383	400	7035+7016	

Made up of:

qty.	description
1	Electrically adjustable unassembled workbench
1	Cabinet W=500 mm with 1 drawer H=150 mm
1	Cover for cabinet W=500 mm
1	Pair of supports for cabinet
1	Additional power strip frame with end caps and corner elements
1	Kit with 2 dual-slotted uprights for workbenches
1	Pair of supports for perforated panel W=1000 mm
1	Kit with 2 inclined supports with track
1	Double lamp
1	Kit with 3 perforated panels/shelves with 2 box-stop edges
1	Electric perforated panel
4	Kit with 2 Picking Box containers size 3A2

qty.	description
1	Differential magnetic-thermal circuit breaker
1	Schuko 4-socket power strip
2	Schuko 2-socket power strip
1	Wieland Schuko/FR connection cable
1	Pair of L-shaped brackets
1	Joint for plate
1	Monitor support plate with VESA standard
2	Perforated panel/shelf with box-stop edge
2	Hinge kit for perforated panel
2	Bar mount with 4 Picking Box containers size 1
4	Bar mount with 3 Picking Box containers size 2
2	Angled 2-space spray-can holder



LOAD CAPACITY RAL 7035 + RAL 7016

TOOL ORGANIZER





Unipok tool hook - 30-piece pack
Up to 30 tools can be mounted with 1 pack

ART.	pcs per pack	colour	
FBLIT009007	30	Black	



Unipok is the name of the new **universal hooks** from Fami, which use a screw-in system to allow positioning on perforated boards or wooden panels. Each Unipok hook can be positioned a different angle to mount tools with different shapes and dimensions. Free your imagination and optimise organisation of your wall or workbench-mounted perforated board and wooden board, making sure that everything is always close to hand!

Unipok makes organisation child's play!




Mounting on wood



Mounting on perforated panel








With 4 positions for endless combinations!





Hook with tip

ART.	W mm	D mm	H mm	multiple order qty	
FBLIT030000	36	78	42	10	
FBLIT031000	36	128	42	10	
FBLIT032000	36	178	42	10	



The safety lock stops the hook in a horizontal position and prevents it from moving during tool recovery/storage operations.





87



CREATE THE PERFECT 5S SHADOW TOOL BOX WITH PIKPAD!


With **Pikpad** it is possible to set up a **5S shadow tool box** organised down to the smallest details. The 10x10 square hole bottom of the tray allows for the installation of **Unipok** to create **customised kits** for each job to be performed and, thanks to the practical **tool labels**, it will be possible to identify the type of tool to be housed in each space created.

Pikpad comes complete with a set of 5 sticker sheets:

- 4 sheets with more than 250 tool labels (tool shape + size)
- 1 sheet not pre-cut to make your own stickers



Unipok must be purchased separately



Pikpad 5S shadow tool box tray

ART.	width EH	depth EH	W mm	D mm	H mm	RAL	
FBLIT033039	18	18	284	287	50	7016	
FBLIT034039	27	18	437	287	50	7016	
FBLIT035039	36	18	590	287	50	7016	

Unipok and tools not included



Table stand for Pikpad 5S tray shadow tool box

ART.	W mm	D mm	H mm	RAL	
PIKPAD001	653	255	198	7016	
PIKPAD002	959	255	198	7016	
PIKPAD003	1444	255	198	7016	

3 ADJUSTMENT POSITIONS

The **patented profile** built into the back of Pikpad allows for the tray to be **adjusted in 3 different positions**. It is therefore possible to adapt the inclination of Pikpad based on the user's height and posture, in order to have everything at hand and work according to the principles of **ergonomics**.



MOBILE ORGANISATION

5S shadow tool boxes make tool organisation mobile because they can be installed on different supports and be moved easily thanks to the side handles. They can be placed on worktops using the special table stand, on the uprights of fitted walls using aluminium bars and inside drawers. In the latter case, it is possible to exponentially increase the internal organisation of drawer units by integrating Pikpad with traditional separation items such as divider boxes and metal dividers.



IRONTEAM

UNIVERSAL ACCESSORIES




Mounting on wood



Mounting on
perforated panel



Wall-mounted



Fastening set for
wood and perforated
panel included



Angled 2-space silicone holder

ART.	W mm	D mm	H mm	Hole Ø mm	RAL	
FBLIT008039	150	71	96	61	7016	



Angled 2-space spray-can holder

ART.	W mm	D mm	H mm	Hole Ø mm	RAL	
FBLIT007039	188	111	172	70	7016	



6-space spray-can holder

ART.	W mm	D mm	H mm	RAL	
FBLIT010039	455	75	167	7016	



Container holder kit with hand-wipe container

ART.	RAL	
FBLIT006039	7016	




Roll holder kit with roll Ø=240 mm

ART.	W mm	D mm	H mm	RAL	
FBLIT004039	297	275	270	7016	



Roll holder kit with Ø 130 mm roll

ART.	W mm	D mm	H mm	RAL	
FBLIT003039	257	135	168	7016	



Reversible sanitiser-bottle holder

ART.	W mm	D mm	H mm	RAL	
FBLIT002039	113	100	62	7016	



Glove dispenser

ART.	W mm	D mm	H mm	RAL	
FBLIT005039	247	81	132	7016	



Magnet complete with clip and screw – 10-piece pack



ART.	pcs per pack	Ø mm	Finish	
FBL95410000	10	20	Galvanised	



Wall unit with door

ART.	W mm	D mm	H mm	KG	RAL	
FBL8015C000PD	460	250	456	25	7035+7016	
FBL8015C00004	460	250	456	25	5012	





Bar mount with 4 Picking Box containers size 1

ART.	W mm	D mm	H mm	colour of containers	
FBLIT011000	445	168	85	Dark grey	
FBLIT012000	445	168	85	Black	



Bar mount with 3 Picking Box containers size 2

ART.	W mm	D mm	H mm	colour of containers	
FBLIT013000	447	233	123	Dark grey	
FBLIT014000	447	233	123	Black	



Bar mount for Picking Box containers size 1/2

ART.	W mm	D mm	H mm	Finish	
FBLIT020099	445	9	85	Galvanised	



Kit for container holder

ART.	Strap L mm	RAL	
FBLIT018039	910	7016	



A4 document-holder pocket

ART.	W mm	D mm	H mm	RAL	
FBLIT001039	365	68	187	7016	



First-aid kit

ART.	W mm	D mm	H mm	
FBLIT024000	256	90	190	



Mount for extinguisher with 2 kg fire extinguisher

ART.	W mm	D mm	H mm	
FBLIT023000	115	115	400	



Mount for cables

ART.	W mm	D mm	H mm	RAL	
FBLIT019039	220	95	101	7016	



GALVANISED

RAL 5012

RAL 7035 + RAL 7016

RAL 7016



Monitor support plate with brackets

ART.	W mm	D mm	H mm	RAL	
ERGOWORK014	225/129	119/225	225	7016	

Made up of:

qty.	description
1	Pair of L-shaped brackets
1	Joint for plate
1	Monitor support plate with VESA standard



Bin with 30 l capacity

ART.	W mm	D mm	H mm	L	RAL	
FBLIT025039	387	277	394	30	7016	



Case with containers

ART.	W mm	D mm	H mm	
FBLIT022001	440	350	80	

Tool case holder kit

ART.	RAL	
FBLIT021039	7016	



Small reversible shelf

ART.	W mm	D mm	H mm	RAL	
FBLIT017039	303	317	144	7016	



Large reversible shelf

ART.	W mm	D mm	H mm	RAL	
FBLIT016039	455	317	144	7016	



Kit with 2 Picking Box containers size 3A2

ART.	W mm	D mm	H mm	colour	
FBLIT027001	200	350	145	Dark grey	



Kit with 10 containers

ART.	
FBLIT028000	



Reversible tray shelf

ART.	W mm	D mm	H mm	RAL	
FBLIT015039	455	160	40	7016	



Drill-bit holder

ART.	W mm	D mm	H mm	Finish	
FBLIT0260ZZ	155	84	39	Stainless steel	

The tool-head block can be used inside the reversible tray shelf



CAPACITY



STAINLESS STEEL



RAL 7016



Support for residual current device

ART.	W mm	D mm	H mm	RAL	
FBLET003039	159	32	92	7016	



Differential magnetic-thermal circuit breaker
2P+E 16A, 30mA TYPE A

ART.	W mm	D mm	H mm	colour	
FBLET012007	159	59	90	Black	



Support for 2-socket power strip

ART.	W mm	D mm	H mm	RAL	
FBLET001039	148	32	92	7016	



2-socket power strip

ART.	W mm	D mm	H mm	Type of socket	colour	
FBLET004007	148	59	46	Schuko	Black	
FBLET006007	148	59	46	CH	Black	
FBLET008007	148	59	46	GB	Black	
FBLET010007	148	59	46	FR	Black	



Support for 4-socket power strip

ART.	W mm	D mm	H mm	RAL	
FBLET002039	249	32	92	7016	



4-socket power strip

ART.	W mm	D mm	H mm	Type of socket	colour	
FBLET005007	248	59	46	Schuko	Black	
FBLET007007	248	59	46	CH	Black	
FBLET009007	248	59	46	GB	Black	
FBLET011007	248	59	46	FR	Black	



Wieland connection cable with in/out plugs

ART.	W mm	D mm	H mm	colour	
FBLET013007	200	28	13	Black	



Wieland H-shaped distribution block with 2 outputs

ART.	W mm	D mm	H mm	colour	
FBLET015007	60	35	35	Black	



Wieland connection cable

ART.	W mm	D mm	H mm	Plug type	colour	
FBLET016007	3000	50	50	Schuko/French	Black	
FBLET017007	3000	50	50	British	Black	
FBLET018007	3000	50	50	Swiss	Black	



Wieland connection cable with in/out plugs

ART.	W mm	D mm	H mm	colour	
FBLET014007	1500	28	13	Black	





USB data port

ART.	Ø mm	W mm	H mm	colour	
FBLET019007	59	70	54	Black	



USB charging port

ART.	Ø mm	W mm	H mm	colour	
FBLET020007	59	70	54	Black	



Lamp W=988 mm with brackets for fastening

ART.	W mm	Colour temperature K	Watt	Hz	Lumen	RAL	
IRONTEAM001	988	4000	27	50	5058	7016	



Lamp W=1473 mm with brackets for fastening

ART.	W mm	Colour temperature K	Watt	Hz	Lumen	RAL	
IRONTEAM002	1473	4000	41	50	7588	7016	



Single lamp

Without on/off button

ART.	W mm	Colour temperature K	Watt	Hz	Lumen	RAL	
FBL99400008	955	4000	15	50/60	1500	7035	
FBL99450008	1440	4000	20	50/60	2000	7035	



Double lamp

Without on/off button

ART.	W mm	Colour temperature K	Watt	Hz	Lumen	RAL	
FBL99400108	955	4000	15	50/60	3000	7035	
FBL99450108	1440	4000	20	50/60	4000	7035	



Example of mounting on overhead rails



Example of mounting on perforated panel using brackets



Example of mounting with magnets



RAL 7016



RAL 7035